LAB-QUALITY, LONG-LASTING PRINTS – DELIVERED IN SECONDS

All the family can create labquality prints for albums, crafting, gifting and display with this fast, wireless and simple-to-use photo printer.







Beautiful photos, fast

Create vibrant lab-quality photos with 16.7 million colours. Fast dye-sublimation technology means ready-to-handle postcard-sized prints in 41 seconds.

· Prints that last

Thanks to a special protective coating, your photos will last up to 100 years¹ when stored in an album. They're water, scratch and fingerprint resistant too.

· Sizes to suit you

Print beautifully vibrant images in a range of sizes, ranging from postcard (100 x 148mm) to mini sticker (22 x 17.3mm), great for scrapbooking, crafting and gifting.

Simple wireless operation

Print simply and wirelessly from your smart device using the SELPHY Photo Layout app. Create customised prints with stamps, filters, pattern overcoats and share links with printed QR codes.

Space-saving and stylish design

This is a printer that's a pleasure to live with and simple to operate thanks to its compact size, large LCD screen, wireless connection and choice of three chic colour finishes.

Connect your way

Connect wirelessly to smart devices, computers and cameras², or via USB-C for computers, cameras and USB flash drives. Or simply print direct from SD, SDHC and SDXC cards with the built-in reader.

16.7

Dye-Sub

100 YEARS PRINT

Post Card 41 sec.



Memory Card Slots

PRODUCT RANGE



Canon SELPHY CP1500

Canon SELPHY CP1500 Canon SELPHY SQUARE QX10

Canon Zoemini
Canon Zoemini S2



Canon SELPHY QX10



Canon Zoemini



Live for the story

TECHNICAL SPECIFICATIONS

SELPHY CP1500

PRINTING SYSTEM

Method Maximum Resolution

Colours

MEDIA & CARTRIDGE Compatible Cassettes

Postcard Size L Size Card Size [2]

Credit Card Size Stickers KC-18IF

Square Stickers KC-18IS 54 x 54mm Mini Stickers KC-18IL 22 x 17.3mm Sticker paper 72 x 85 mm Ink Cartridae Included with media 100 Years Print [1] **Image Longevity**

MEDIA INPUT

Sheet Feeder

PRINT SPEEDS [2]

Credit Card Size

PRINTING **Print Modes** Print Settings

PRINT METHOD Direct Printing From a

Direct From a Memory Card

Direct From a Smart Phone

Direct From Internal Memory Print From a Computer

INTERFACE

Camera

Computer

TV Viewe

LCD Monitor

PictBridge - USB/Wi-Fi USB-C Not supported

Fixed position 3.5", 230K dot LCD

Dye-sublimation thermal transfer printing system

3 colour inks (yellow, cyan, magenta) with protective over coating

256 shades per colour (24 bit colour depth)

300 x 300 dpi

PCP-CP400

PCC-CP400

100 x 148mm

89 x 119mm

54 x 86mm

Auto feed from paper cassette

Controlled by SELPHY Photo Layout app

Controlled by SELPHY Photo Layout app

Compatible iOS and Android devices via Wi-Fi, using

Windows, Mac OS, Chrome OS, IPP everywhere

Approx. 41 sec

Approx. 23 sec

USB/Wi-Fi

SD/SDHC

Micro SD/Micro SDHC[3] Mini SD/Mini SDHC[3]

app SELPHY Photo Layout

SUPPORTED OPERATING

PC Supported Macintosh Supported Chrome OS Supported

POWER SOURCE

[NEW] CA-CP300 B **AC Power Supply** NB-CP2LL **Battery Pack** Power Consumption Less than 60W Less than 4W (standby)

PHYSICAL SPECIFICATIONS

5 - 40 °C, 20 - 80% humidity **Operating Environment**

Dimensions Approx. 182.2 x 57.6 x 133 mm (excluding protrusions)

(WxHxD)

Weight Approx 850g

All data is based on Canon's standard testing methods. Subject to change without notice.

Footnotes:[1] To test the image permanence of prints that are stored in an album, we use an accelerated testing method similar to how the image permanence of silver-halide photo papers are measured when stored in dark places. Print samples are printed with the optical density of 1.0 (each Bk, C, M,Y). The samples are kept in a certain environment of high temperature and 50% humidity. The rate of the decrease in the optical density and rate of yellow discoloration are recorded. The recorded results are then converted to the length of time when print image is kept in an environment of 23° C/ 50% humidity. <Criteria for estimation of print longevity> The point where monochromatic/reflective optical density shows loss of 30%

(starting density of 1.0).

(2) Print speed can vary dependent on data size, print method, memory card and capacity and is measured from start of printing excluding paper handling

(3) Requires adapter (sold separately)

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2022



LAB-QUALITY, LONG-LASTING PRINTS – DELIVERED IN SECONDS

SELPHY CP1500

All the family can create lab-quality prints for albums, crafting, gifting and display with this fast, wireless and simple-to-use photo printer.

Sales Start Date: September 2022 (TBC)



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
COMPACT PRINTER SELPHY CP1500 BK	5539C002AA	4549292194692	<please fill="" in="" rrp=""></please>		
COMPACT PRINTER SELPHY CP1500 WH	5540C003AA	4549292194760	<please fill="" in="" rrp=""></please>		
COMPACT PRINTER SELPHY CP1500 PK	5541C002AA	4549292194838	<please fill="" in="" rrp=""></please>		

OPTIONAL ACCESSORIES:

Accessory Name	Mercury Code	EAN Code	Recommended Retail Price		
Consumables:					
KP-36IP postcard	7737A001AH	4960999047034	<please fill="" in="" rrp=""></please>		
KC-36IP C size	7739A001AH	4960999047058	<please fill="" in="" rrp=""></please>		
KC-18IF C size stickers	7741A001AH	4960999047072	<please fill="" in="" rrp=""></please>		
KC-18IS Square stickers	7429B001AA	4960999922171	<please fill="" in="" rrp=""></please>		
KC-18IL Mini stickers	7740A001AH	4960999047065	<please fill="" in="" rrp=""></please>		
Accessories :					
PCP-CP400 Paper Cassette [Included]	6200B001AA	4960999846903	<please fill="" in="" rrp=""></please>		
PCC-CP400 Paper Cassette	6202B001AA	4960999846941	<please fill="" in="" rrp=""></please>		
NB-CP2LI Battery	TBC	TBC	<please fill="" in="" rrp=""></please>		



LAB-QUALITY, LONG-LASTING PRINTS – DELIVERED IN SECONDS

SELPHY CP1500

All the family can create lab-quality prints for albums, crafting, gifting and display with this fast, wireless and simple-to-use photo printer.



MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)
COMPACT PRINTER SELPHY CP1500 BK - WH - PK EU26	5539C002AA 5540C003AA 5541C002AA	EA	Each	1	23.4	22	12.5	1.7871
		СТ	Carton	6	46	39.9	27.1	11.56
		EP	Euro Pallet	96	120	80	121.4	199.96
			Layers per Pallet	TBC				
			Cartons per Layer	TBC				
			Products per layer	TBC				

What's in the box?

Black

- Compact Photo Printer Canon SELPHY CP1500 BK
- PCP-CP400 Paper Cassette
- Compact Power Adapter CA-CP300 B
- AC Cable(with E-type plug)
- Printed Matter Unit

White

- Compact Photo Printer Canon SELPHY CP1500 WH
- PCP-CP400 Paper Cassette
- Compact Power Adapter CA-CP300 B
- AC Cable (with E-type plug)
- Printed Matter Unit

Pink

- Compact Photo Printer Canon SELPHY CP1500 PK
- PCP-CP400 Paper Cassette
- Compact Power Adapter CA-CP300 B
- AC Cable(with E-type plug)
- Printed Matter Unit

