

## BUSINESS SMART SERIES



## All-in-One Office Wireless Inkjet Printer

Fast, efficient and reliable



PRINT



SCAN



COPY



FAX



WIRELESS

**MFC-J5110DW**

## All-in-One Office Wireless Inkjet Printer

Built for small offices that demand speed, efficiency, and reliability, the MFC-J5110DW combines Brother's MAXIDRIVE inkjet technology with seamless connectivity, smart paper handling, premium high yield inks, and Advanced Maintenance for consistent performance.

### MFC-J5110DW



### Key features:

- Automatic 2-Sided print, scan, copy, fax
- Durable MAXIDRIVE print head
- Print up to 28 images per minute
- 2-Sided scanning up to 30 images per minute
- 10.9cm (4.3") Colour touchscreen
- Dual-band Wi-Fi® (2.4 and 5GHz), Gigabit Ethernet and USB
- Print directly from or scan to PC, mobile app and USB
- 500 Sheet paper input, 100 sheet multi-purpose tray, 50 sheet Automatic Document Feeder (ADF)
- 150 Sheet paper output
- Comes with 700 black, 450 colour yield inks, 6,000 black, 5,000 colour maximum yield available

### Fast and efficient

The all-in-one MFC-J5110DW combines fast print and scan speeds with automatic 2-sided functionality to save time and reduce paper waste. Dual 250 sheet paper trays provide generous capacity for fewer refills and uninterrupted printing, while the large intuitive colour touchscreen makes navigation simple. High yield premium pigment ink cartridges keep costs low and quality high, making it the ultimate choice for performance and value.

### Durable MAXIDRIVE print head

Brother's patented MAXIDRIVE print chip utilises advanced piezoelectric technology to precisely deliver ink at high power, enabling fast, consistent printing from a device built to last. Paired with premium pigment inks, the MFC-J5110DW produces continuous rich vibrant colours and text with clear definition.

### Hassle-Free Advanced Maintenance

Enjoy uninterrupted printing with Brother's Advanced Maintenance that keeps your printer performing at its best. With Intelligent Check Technology, your printer automatically monitors ink jetting performance and detects when maintenance is needed, saving you time and effort. Meanwhile, Micro-Vibration Technology and the Multi-Port Suction System work together to prevent ink from drying, removing air bubbles to ensure a smooth, consistent ink flow for optimal print quality.

## Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The MFC-J5110DW is 'secure by design', using triple-layer security at a device, network and document level, offering added peace of mind, guaranteeing that the integrity of your data is maintained at every step.

## Sustainability

We are proud to be taking meaningful steps to reduce our environmental impact. Ink cartridges have been designed with remanufacturing in mind, and the device incorporates approx. 30%<sup>44</sup> recycled plastics, helping to lower CO<sub>2</sub> emissions. Our award-winning moulded pulp packaging also replaces Expanded Polystyrene (EPS), making it environmentally friendly and easy to recycle.

Find out more: [brother.eu/packaging](https://brother.eu/packaging)

## CONNECT for more control



Available to download

Set up, print and scan on the go with Brother Mobile Connect. Control all your Brother printers from your fingertips. Easily check ink levels, order and save on genuine Brother supplies, access your scanned documents history and personalise your frequently used features.

## SUBSCRIBE to a better way to print



- Automatic ink delivery
- Flexible monthly print plans
- Extended printer warranty

Find out more at: [brother.eu/ecopro](https://brother.eu/ecopro)

EcoPro subscription is not available in all countries, check your local country for availability



439mm



## Supplies Ink Cartridges



### LC527

1,300 BK, 900 CMY

### LC527XL

3,000 BK, 2,000 CMY

### LC528

6,000 BK, 5,000 CMY

340mm

435mm

## General

### Carton Contents

Machine, Inbox Cartridges, Power Supply Cord, Quick Set-Up Guide, Warranty Card, (PC interface cable NOT included)

### Technology

MAXIDRIVE Piezo inkjet technology has 1680 channel pressure generating chambers for ink ejection on a single chip with smart print head sensing automatically<sup>37</sup> maintains perfect ink flow for consistently sharp, reliable prints

### Memory

512MB internal

### Processor

960 MHz

### Machine Colour

Body: White  
Control Panel: Black

### Control Panel

10.9cm (4.3") Colour  
Touchscreen LCD

### Local Interface<sup>45</sup>

Hi-Speed USB 2.0,  
USB 2.0 Host (Front)

### Wired Network Interface

Gigabit (10Base-T/  
100Base-TX/1000Base-T)

### Fax Interface

Telephone Line port  
External Telephone Answering  
Device port (TAD)

### Wireless Network interface

2.4GHz: IEEE 802.11b/g/n  
5GHz<sup>38</sup>: IEEE 802.11a/n  
(Infrastructure Mode),  
Vertical Pairing

### Wi-Fi Direct™

Print wirelessly<sup>16</sup> without having to use a wireless access point (both automatic and manual methods supported)

### Configurable Shortcuts

Add, delete, change up to 64 personalised shortcuts for quick and secure access to device functions

## Print

### Print Speed (A4)<sup>1</sup>

Up to 28.0/26.0 ipm  
(images per minute)

### Print Speed 2-Sided (A4)<sup>1</sup>

Up to 22.0/21.0 ipm  
(images per minute)

### Resolution

Up to 1,200 x 4,800 dpi  
(Horizontal x Vertical,  
dots per inch)

### FPOT<sup>2</sup>

#### (First Print Out Time)

First Print out Time 4.7 seconds  
colour, 4.5 seconds mono, from  
ready mode and standard tray

## Printer Functions

### Print Head Sensor

The print head sensor monitors 1,680 nozzles for alignment and paper feed accuracy, supporting precise user-initiated calibration to maintain sharp, consistent print quality

### Direct Print

Print directly from the front USB host port using a USB flash memory drive. Supported formats include; PDF 2.0, JPEG

### Header Footer Print<sup>15,33</sup>

Print the date, time, login user name, or custom text on your documents

### N-up Printing<sup>15,33</sup>

Reduce up to 2, 4, 9 or 16 pages into a single page

### Poster Printing<sup>15,33</sup>

Enlarge 1 A4 page into a poster using 4, 9 A4 pages

### Watermark Printing<sup>15,33</sup>

Watermark your documents with predefined or user-defined text

### Secure Print<sup>16,33</sup>

Protect print jobs with a 4 digit release code required at the device in order for them to be printed

### Reverse Print<sup>16,33</sup>

Rotate the content of a printed document by 180°

### Mirror Print<sup>16,33</sup>

reverses the horizontal orientation of the page, producing a left to right inverted output relative to the original data

### Booklet Print<sup>16,33</sup>

A4 duplex documents in A5 booklet format

### Borderless Print<sup>16,33</sup>

Eliminate margins, print up to the edges of A4 paper. Ideal for photos and full-page graphics



|                                       |                                                                                                                                                             |                                                                                                       |                                                                                        |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <b>Driverless Print Compatibility</b> | <b>Windows Modern Print Platform Ready</b><br>Supports seamless, driverless printing via IPP for instant setup on Windows 10 (21H2+) and Windows 11 devices | <b>Mopria™</b><br>Print common file types from supported Android mobile devices and Windows computers | <b>Apple AirPrint</b><br>Print common file types from any AirPrint enabled application |
|                                       |                                                                                                                                                             |                                                                                                       | <b>ChromeOS™</b><br>Supports Work with Chromebook printing                             |

Our printers support driverless printing across Windows, macOS, iOS, and Android devices for instant, secure, and hassle-free setup.

Paper Handling

|                       |                                        |                                                                                                                                                                                                                                                         |                                                         |
|-----------------------|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|
| <b>Paper Handling</b> | <b>Paper Input<sup>11</sup></b>        | <b>Media Sizes</b>                                                                                                                                                                                                                                      | <b>Media Weights</b>                                    |
|                       | <b>Standard Tray</b>                   | <b>Standard Tray</b>                                                                                                                                                                                                                                    | <b>Standard Tray</b>                                    |
|                       | 250 Sheets                             | A4, LTR, EXE, LGL, Folio, A5, A6, Photo (10 x 15cm / 4 x 6"), Indexcard (13 x 20cm / 5 x 8"), Photo-L (9 x 13cm / 3.5 x 5"), Photo-2L (13 x 18cm / 5 x 7"), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal                                 | 64 - 220gsm                                             |
|                       | <b>Lower Tray</b>                      |                                                                                                                                                                                                                                                         | <b>Lower Tray</b>                                       |
|                       | 250 Sheets                             |                                                                                                                                                                                                                                                         | 64 - 120gsm                                             |
|                       | <b>Multi Purpose Tray</b>              |                                                                                                                                                                                                                                                         | <b>Multi Purpose Tray</b>                               |
|                       | 100 Sheets                             |                                                                                                                                                                                                                                                         | 64 - 220gsm                                             |
|                       | <b>Automatic Document Feeder (ADF)</b> | <b>Lower Tray</b>                                                                                                                                                                                                                                       | <b>Auto 2-Sided Print</b>                               |
|                       | 50 Sheets                              | A4, LTR, EXE, LGL, Folio, A5, Mexico Legal, India Legal                                                                                                                                                                                                 | 64 - 105gsm                                             |
|                       | <b>Paper Output<sup>11</sup></b>       | <b>Multi-Purpose Tray</b>                                                                                                                                                                                                                               | <b>Automatic Document Feeder (ADF)</b>                  |
|                       | 150 Sheets A4                          | A4, LTR, EXE, LGL, Folio, A5, A6, Photo (10 x 15cm / 4 x 6"), Indexcard (13 x 20cm / 5 x 8"), Photo-L (9 x 13cm / 3.5 x 5"), Photo-2L (13 x 18cm / 5 x 7"), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal, Long paper (max length:1200mm) | 64 - 105gsm                                             |
|                       |                                        | <b>Automatic Document Feeder (ADF)</b>                                                                                                                                                                                                                  | <b>Media Types</b>                                      |
|                       |                                        | Width: 105 - 215.9mm<br>Length: 148 - 355.6mm<br>Long Paper 900mm                                                                                                                                                                                       | <b>Standard Tray</b>                                    |
|                       |                                        | <b>Flatbed (Scanner Glass)</b>                                                                                                                                                                                                                          | Plain Paper, Recycled Paper, Inkjet Paper, Glossy Paper |
|                       |                                        | Width: up to 215.9mm<br>Length: up to 297mm                                                                                                                                                                                                             | <b>Lower Tray</b>                                       |
|                       |                                        | <b>2-sided Print</b>                                                                                                                                                                                                                                    | Plain Paper, Recycled Paper                             |
|                       |                                        | LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal                                                                                                                                                                                                 | <b>Multi Purpose Tray</b>                               |
|                       |                                        | <b>2-sided Copy</b>                                                                                                                                                                                                                                     | Plain Paper, Recycled Paper, Inkjet Paper, Glossy Paper |
|                       |                                        | LGL, Folio, A4, LTR, A5, Mexico Legal, India Legal                                                                                                                                                                                                      | <b>Auto 2-Sided Print</b>                               |
|                       |                                        |                                                                                                                                                                                                                                                         | Plain Paper, Recycled Paper                             |
|                       |                                        |                                                                                                                                                                                                                                                         | <b>ADF</b>                                              |
|                       |                                        |                                                                                                                                                                                                                                                         | Plain Paper,Recycled Paper                              |
|                       |                                        |                                                                                                                                                                                                                                                         | <b>Direct Print</b>                                     |
|                       |                                        |                                                                                                                                                                                                                                                         | <b>JPEG</b> - Plain, Recycled, Inkjet, Glossy           |

## Copy

### Copy Speed<sup>4</sup>

Up to 24.0 ipm mono,  
14.0 ipm colour

### Copy Speed 2-Sided<sup>4</sup>

Up to 18.0 ipm mono,  
12.0 ipm colour

### Resolution

Print up to 1,200 x 4,800dpi  
Scan up to 600 x 600dpi  
(Flatbed), 600 x 600dpi (ADF)  
(Horizontal x Vertical,  
dots per inch)

### Copy Media Sizes

Width: 204mm (A4)  
210mm (LTR)

### FCOT<sup>6</sup>

6.8 Seconds colour, 5.8  
seconds mono from ready mode  
and standard tray

## Copy Functions

### Multi-Copying

Ensures that your copies are  
organised in the correct order,  
making it easier to manage large  
documents. Makes up to 999  
copies of each page

### Enlargement/ Reduction Ratio

Reduce or Increase document  
sizes from 25% to 400% in 1%  
increments

### N in 1 Copying

Allows the user to compress 2 or  
4 pages on to a single A4 sheet

### Fit to Page

Scales the copied image so that  
it fits neatly onto the size of the  
paper

### Poster Copy

Enlarge a single original  
document and print it over  
several pages  
(3 x 3, 2 x 2, 1 x 2)

### Copy Preview

The contents of the copied  
image can be checked before  
printing

## Scan<sup>3</sup>

### Scan Speed Standard

Single sided  
A4 Colour and mono - 25.0 ipm  
(Duplex)  
A4 Colour and Mono - 30.0 ipm

### Optical Scan Resolution

(Horizontal x Vertical,  
dots per inch)

**ADF** Up to 600 x 600dpi (mono),  
600 x 600dpi (colour)

**Flatbed** Up to  
1,200 x 2,400dpi (mono),  
1,200 x 1,200dpi (colour)

### Interpolated Scan Resolution

Up to 19,200 x 19,200dpi  
(Horizontal x Vertical,  
dots per inch)

### Scanner Type

Dual CIS (Contact Image Sensor)

### Colour Depth

48 bit colour Processing (Input)  
24 bit colour Processing (Output)

### Grey Scale

256 levels (8 bit)

### Scan Media Sizes

Width: 213.9mm  
Length: 353.6mm

## Scanner Functions

### Windows<sup>35</sup>

WIA

### Macintosh

AirPrint Scanning  
macOS 10.13.x or greater

### Linux<sup>35</sup>

SANE (32 & 64 bit editions)

### ChromeOS™

Supports integrated Chrome OS scanning functionality

### Machine File Formats

Colour/Gray: PDF, JPEG,  
B&W TIFF, PDF

### Standard Machine Functions

Scan to E-mail, E-Mail Server, Image, OCR, File, FTP (\*over SSL Supported), Network (Windows Only), Media (Media card or USB)

### Machine Scanning Features

Auto Deskew from ADF, Background Colour Removal, Blank Page Skip, Auto Crop<sup>4</sup>

### Direct Scan

Scan directly to a USB flash memory storage

### Scan Preview

The contents of Scan to FTP, Network, Email Server, can be checked before sending to destination

## Fax

### Fax Modem

33,600bps (Super G3)

### Transmission Speed

Approx. 7 sec (ITU-T TestChart Document No.1, Std resolution)

### Fax Send Resolution

Std colour resolution  
203 x 196dpi  
Horizontal x Vertical, dots per inch)

### Automatic 2-Sided Faxing

Scans and faxes documents using the Automatic Document Feeder (ADF)

### Grey Scale

8 bit (256 shades) available for mono faxing 24 bit (8 bit per colour/256 shades) for colour faxing

### Memory Transmission | Out of Paper Reception

Up to 150 pages (ITU-T Test Chart, Standard Resolution)

### Compression Methods

Ranging from basic to advanced  
Mono: MH, MR, MMR  
Colour: JPEG

## Fax Functions

### PC-Fax Send<sup>36</sup>, Receive<sup>16,36</sup>

Send and Receive mono faxes directly from your PC or network

### Internet Fax (I-Fax)

Fax documents over the internet as an email attachment

### Distinctive Ring Detection

An external service for UK and Denmark that allows two or more telephone numbers shared on a single fixed line and use different ring tones

### Batch Transmission

Stores mono documents in the same location in the machines memory for transmission in a single call

### Auto Reduction

When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet

### Broadcasting

Send the same fax message to up to 100 locations (manual 50 locations)

### Fax Forwarding

Sends a mono fax received in memory to another pre-programmed fax number

### Remote Retrieval

Allows users to remotely access their machine and retrieve stored mono fax messages

### Station ID

An ID of upto 20 characters/digits and fax number will be printed as the header of every fax sent

### PBX

Enables seamless fax operation in office environments by supporting PBX phone systems

## Connectivity

### Microsoft Universal Print

Organisations can manage their brother print infrastructure through cloud services from Microsoft

### Brother Mobile Connect<sup>36</sup>

A Brother app to Print from, Copy Preview and Scan to a mobile device running iOS or Android operating system

### Brother Print Service Plugin<sup>18</sup>

Print from Android devices without a dedicated App

### Brother Apps<sup>18</sup>

Cloud Secure Print, Scan to; mobile, Searchable PDF, Microsoft PowerPoint, Word, Excel, Easy Scan to email, and Fax Forward to Cloud/Email

### Web Connect<sup>18,19</sup>

Without a PC you can download to print and upload from scan and fax for Box, Microsoft SharePoint Online, Dropbox, Evernote, OneDrive, Google Drive™, OneNote

### Email Print<sup>18,19</sup>

Enables driverless printing via email

## Fleet Management Tools<sup>35</sup>

### BRAdmin<sup>36</sup>

LAN/WAN management software

### Embedded Web Server

Using the IP address or node name of your device access via USB or network via a web browser to the web based print management software embedded onto the device using an randomly encrypted password

### Mass Deployment Tool<sup>36</sup>

Provides a configuration interface to help manage and deploy device settings

## Software<sup>35</sup>

### Brother iPrint&Scan<sup>15</sup>

Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC using Brother software

### Print Support App<sup>16</sup>

As an alternative to Windows Modern Print this method enhances compatibility and ease of use by enabling printing without traditional printer drivers, making it a versatile and efficient solution for modern printing needs accessible through the Microsoft Store

Visit [support.brother.com](https://support.brother.com) for the full list of supported OS and to download the latest software. All trademarks, brand and product names are property of their respective companies



## Legacy Print Drivers<sup>34</sup>

### Print Emulations

PCL6, BR-Script3

### Embedded Fonts (PCL)

73 scalable fonts, 12 bitmap stored in firmware and can be used when printing via the PCL (Printer Command Language) print emulation

### Embedded Fonts (BR-script)

66 scalable fonts stored in firmware and can be used when printing via the BR-Script print emulation.

### Embedded Barcodes (PCL)

16 bar codes fonts - Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A,B,C), EAN128 (set A,B,C), Code93, GS1Databar, MSI

### Linux

Printer Driver (Linux, CUPS, LPD/LPRng)

## Network Security

### Wired Network Security

APOP, SMTP-AUTH, SSL/TLS (IPP, IPPS, HTTP, HTTPS, SMTP, POP3, IMAP4, FTP, LDAP, LDAPS, TFTP, TFTP(S), SNMP v3, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth 2.0(SMTP, POP3, IMAP4), Kerberos, IPsec

### Wireless Network Security

WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES)  
\*Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPP, IPPS, HTTP, HTTPS, SMTP, POP3, IMAP4, FTP, LDAP, LDAPS, TFTP, TFTP(S), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth 2.0(SMTP, POP3, IMAP4), Kerberos, IPsec  
Wi-Fi Protected Setup (WPS)

### IPv4

ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client ,FTP Server, SNMPv1/v2c/v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTTP Client, LDAP, HTTP Server, Syslog

### IPv6

NDP, RA, mDNS, LLNMR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client , FTP Server , SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4/SMTP Client, CIFS Client, SNTTP Client, LDAP, ICMPv6, HTTP Server, Syslog

### IP Filter

Restrict which network users can or cannot access the device over the network

## Security Features

### E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing

### E-mail Reports

Receive usage reports on a regular basis via e-mail

### Secure Boot

All Brother Print devices are secure by design. Devices automatically recognise security attacks and take preventative measures, including rebooting where necessary, in order to ensure the device remains secure

### Digitally-Signed Firmware

The firmware for Brother Print & Scan devices is digitally signed and secure

### Secure Function Lock 3.0

Use a 4 digit pin or password to identify and authenticate an individual or groups of users over a network. Allows access control with username for up to 100 users

### Storage Encryption

Protects data at rest e.g Fax data, Address book, User shortcuts, Network configuration by encrypting the internal storage

### Restrict Network Protocols

The network access control feature allows an administrator to restrict communication protocols (e.g. FTP, Telnet) as required

### Physical Interface restriction

Secures access by disabling specific physical interfaces directly from the Embedded Web Server (EWS)

### Cloud Secure Print<sup>18</sup>

Enables password protected driverless print job release

### Firmware Updates<sup>18</sup>

In addition to allowing automatic updates to the latest version the printer can be set to not receive older firmware versions to avoid downgrade by an unauthorised user

### SysLog

Allows IT Admin to access a single application (SIEM tool) to get device status updates for audit purposes over Syslog

### Secure Key Management

Use the default standard self-signed, create a custom self-signed certificate, certificate signing request (CSR), or import certificate & private key for protected network communication

## Address Book

### Speed Dials

100 locations for 2 numbers

### Group Dial

A combination of up to 6 groups can be stored

### LDAP

The ability to connect to an external LDAP enabled address book, like Microsoft Exchange

## Supplies<sup>9</sup>

### Page Gauge

On-screen display which monitors the ink cartridges. A single, automatic ink charge at initial setup readies the print head for dependable, high-quality printing

### Inbox Cartridge

1 x 700 pages (BK)  
3 x 450 pages (CMY)

### Standard Cartridge

LC527  
1 x 1,300 pages (BK)  
3 x 900 pages (CMY)

### High Yield Cartridge

LC527XL  
1 x 3,000 pages (BK)  
3 x 2,000 pages (CMY)

### Super High Yield Cartridge

LC528  
1 x 6,000 pages (BK)  
3 x 5,000 pages (CMY)

New design simple cartridge with improved recyclability

### EcoPro compatible device<sup>32</sup>

Dimensions  
and Weights

**Printer w/o Carton  
(WxDxH)**  
435 x 439 x 340mm - 17.1kg  
inc. Ink

**Printer with Carton  
(WxDxH)**  
556 x 530 x 468mm - 20.9kg

Duty Cycle

**Recommended Monthly**  
250 to 2,500 pages monthly  
print volume

Environment

**Power Requirement**  
AC 220-240 V, 50/60 Hz

**Power Consumption<sup>13</sup>**  
Printing: 23W  
Copying: 33W  
Ready: 5.0W  
Sleep: 0.9W  
Networked Standby: 1.8W  
Power Off: 0.03W

**Sound Pressure<sup>12</sup>**  
Printing 53.5 dbA  
Copying 52.5 dbA

**Sound Power<sup>12</sup>**  
Printing Mono 6.88BA,  
Colour 6.81BA

**Auto Power Off**  
Complies with Ecolabel  
standards; enters low-power  
mode after 20 min (default,  
adjustable via control panel)

**TEC Value**  
0.11 kWh/Week

**Operating Environment**  
Humidity 20 - 80%  
Temp 10° - 35° centigrade  
50° - 95° fahrenheit

Computer  
Platforms

**Windows**  
Windows 11 (Home | Pro |  
Education | Enterprise)  
Windows 10 (Home | Pro |  
Education | Enterprise)  
(32 or 64 bit editions)  
Windows Server  
2025, 2022, 2019, 2016

**Macintosh<sup>40</sup>**  
macOS 13 or greater

**Linux**  
Supported Package  
management System<sup>19</sup>:  
dpkg, rpm

**ChromeOS™**  
Compatible with Chromebooks,  
including “Works with  
Chromebook” certified printing  
support and integrated Chrome  
OS scanning functionality

Visit [support.brother.com](https://support.brother.com) for the full support list. All trademarks, brand and product names are property of their respective companies.

Certification

**Blue Angel**

**Nordic Swan**

**Wi-Fi CERTIFIED**  
Wi-Fi Direct, Wi-Fi Protected  
Setup, WPA3™ - Enterprise,  
Personal

**Mopria Certified**  
Ensures universal compatibility  
for driverless printing across  
Windows, Android, and  
compatible mobile operating  
systems

**AirPrint**

1. Print Speeds based on ISO/IEC 24734. 2. FPOT (First Print Out Time) based on ISO/IEC 17629. 3. Scan Speeds Based on ISO/IEC 17991. 4. ADF Copy Speeds ESAT based on ISO/IEC 24735. 6. FCOT (First Copy Out Time) based on ISO/IEC 24735 Annex D. 9. Approx declared ink yield value in accordance with ISO/IEC 24711. 11. Capacity calculated with 80gsm paper. 12. Sound power and sound pressure level in accordance with ISO 7779. 13. Power consumption is measured according to IEC 62301 Edition 2.0. 15. Windows & macOS only. 16. Windows only. 18. Requires an Internet connection. 19. Requires additional activation. 20. Duty Cycles can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements. 32. EcoPro subscription is not available in all countries, check your local country for availability. 33. Advanced settings via legacy driver or the Print Support App only. 34. Microsoft is transitioning towards driverless printing as the preferred standard. Legacy driver installations remain supported for customers with existing deployment requirements. 35. Free download from the Brother Solutions Centre <http://solutions.brother.com> 36. Requires Brother Software. 37. The machine auto-powers on for print head maintenance, then shuts off. 38. May not be available in your region. 40. On macOS AirPrint only. 41. For WIA, 1200x1200 resolution. Brother Scanner Utility enables to enhance up to 19200 x 19200 dpi. 42. Red Hat Enterprise Linux 8.6 64bit, Red Hat Enterprise Linux 9.1 64bit, Fedora 39 64bit, Mageia 9 32bit, Mageia 9 64bit, openSUSE 15.5 64bit, SUSE Enterprise15-SP4 64bit, Debian 12.2.0 32bit, Debian 12.2.0 64bit, Ubuntu MATE 18.04 32bit, Ubuntu 22.04 64bit, Ubuntu 23.10 64bit, Linux Mint 21.2 64bit, Ubuntu 24.04 64bit. 43. Visit Brother Global Support for more information <http://www.youtube.com/@BrotherGlobalSupport> 44. Figure based on Brother's internal analysis at the time of publication. 45. Third Party USB hubs not supported.



App Store, Mac, macOS and AirPrint are trademarks of Apple Inc., registered in the U.S. and other countries.  
Google Play and the Google Play logo are trademarks of Google LLC.  
Wi-Fi® is a registered trademark of Wi-Fi Alliance®



### Working with you for a sustainable future

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

[www.brotherearth.com](http://www.brotherearth.com)

All specifications correct at the time of printing and are subject to change.  
Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

**brother**  
at your side